

FIG. 1

10




FIG. 2




FIG. 3

669080-2569660




FIG. 4




FIG. 5

FIG. 6 shows the **CPEX™** login screen. The screen displays the **Continental Power Exchange, Inc.** logo and the version **Version 4.1**. The login fields are:

- Login ID**: 62
- Password**: 64

The screen also includes buttons for **Login** (68), **Quit** (70), **Change Password** (72), and **Help** (74).

FIG. 6

FIG. 7 shows the password change screen. The screen displays the following fields and buttons:

- Old Password**: 76
- New Password**: 78
- Verify New Password**: 80
- OK** (82)
- Cancel** (84)
- Help** (86)

FIG. 7

User Maintenance

File Addmin

User List

First I CILCO
fredo o cilcouser

90

92

94

96

Name

Last: 88 First: MI

Employee ID: Login ID: Reset Password

Access Level:
Market Trader

Default View
CPEXView 98 100 102 104

Close Refresh New Update Delete Help

Edit Primary Contracts View Secondary Contracts Review Path Status

106 108 110

FIG. 8

Contacts

File Addmin

Participant: Oklahoma Public Power

Control Center Supervisor

name: John Schmaltz
phone: 217-424-0023
fax: 217-424-0022

CPEX System Administrator

name: Deborah Billson
phone: 217-425-8899
fax: 217-425-1212

Accounting

name: Dennis Swell
phone: 217-424-3131
fax: 217-424-3232

Refresh Update Close

FIG. 9

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

Edit Primary Contract Display

▼ ▲

CILCO can Sell to:
 Participant Type: **All** ▼

No Contract With:

ASSOC-Asociato Electricidad Supplicanta ▲
 BREC-Big River Electric Company
 CIPS-Central Illinois Power
 CSW-CENTRAL AND SOUTHWEST
 CWLP-Crisp Waters Light and Power
 DPL-Dayton Power & Light Company
 EMPIRE-Empire Electric
 ENTERGY-Entergy ▼

Add>>

<<Remove

Select All

Clear All

Contract With:

▲ ▼

Select All

Clear All

CILCO can Wheel for:
 Participant Type: **All** ▼

No Contract With:

ASSOC-Asociato Electricidad Supplicanta ▲
 BREC-Big River Electric Company
 CIPS-Central Illinois Power
 CSW-CENTRAL AND SOUTHWEST
 CWLP-Crisp Waters Light and Power
 DPL-Dayton Power & Light Company
 EMPIRE-Empire Electric
 ENTERGY-Entergy ▼

Add>>

<<Remove

Select All

Clear All

Contract With:

▲ ▼

Select All

Clear All

Close

Help

FIG. 10

View Secondary Contract Display for CILCO

▼ ▲

Participant Type: NIA ▼

Contracts to Buy From:

▲ ▼

Contracts to Use Wheelers:

▲ ▼

Close

Help

FIG. 11

FIG. 13

124

CIPS-Market Open

Please confirm transmission limits

Interface Name	Max In	Max Out	Limit In	Limit Out
CILC	400	200	150	200
SIPC	175	400	100	200
IPC	250	250	200	200
CWLP	375	200	300	200

0

Confirm

126

128

CIPS-Market View Hour Ending: 900

BuySellBuy MarketSell MarketSchedule

BuySellBuy MarketSell MarketSchedule

138140142144146

134

136

B/S	MWh	N/I	Interface

	MWhs	\$	PI
Buy	0	0	100
Sell	0	(0)	150
Net	0	0	100
Wheel	0	0	100

300 In00 Out300

☐ CILC
☐ CWLP
☐ IPC
☐ SIPC

152

© Text
○ Graph MWh
○ Graph \$

:02
Transmission
Future Market
Reveal
○ Current
● Next
Reports
Logout
Help

130 132

FIG. 14

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

148

B/S	MWh	N/I	Interface
			↑
			↓

FIG. 15a

	MWhs	\$	PI
Buy	0	0	100
Sell	0	(0)	
Net	0	0	
Wheel	0	0	100

FIG. 15b

154 ☒ Text ☐ Graph MWh ☐ Graph \$




FIG. 15c

☐ Text ☒ Graph MWh ☐ Graph \$

156




FIG. 15d

☐ Text ☐ Graph MWh ☒ Graph \$

158

300 In 0 0 Out 300

<input type="checkbox"/> CILC		↑
<input type="checkbox"/> CWLP		
<input type="checkbox"/> IPC		
<input type="checkbox"/> SIPC		↓

FIG: 15e

669080" 2T569E60

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1
8 of 29

140
138

Buy
Sell
Buy Market
Sell Market
Schedule

Offers-Not Yet Taken
Withdraw

MWh	\$/MWh	N/I	#Viewers

Add Offers:

MWh	\$/MWh	N/I	Usage Fee

160

Send
Add
Delete

Buy
Sell
Buy Market
Sell Market
Schedule

Offers-Not Yet Taken
Withdraw

MWh	\$/MWh	N/I	#Viewers

Add Offers:

MWh	\$/MWh	N/I

Send
Add
Delete

B/S	MWh	N/I	Interface

	MWhs	\$	PI
Buy	0	0	100
Sell	0	(0)	
Net	0	0	
Wheel	0	0	100

300 In
0 Out
300

☐ CILC
☐ CWLP
☐ IPC
☐ SIPC

©Text
○Graph MWh
○Graph \$

:02

Transmission
Future Market
Reveal
○Current
©Next

Reports
Logout
Help

FIG. 16

CIPS-Market View Hour Ending: 900

Buy Sell Buy Market Sell Market Schedule

Withdraw

MWh

\$/MWh

N/I

#Viewers

Add Offers:

162

MWh	\$/MWh	N/I	Usage Fee

164

Send

Add

Delete

Buy Sell Buy Market Sell Market Schedule

Withdraw

MWh

\$/MWh

N/I

#Viewers

Add Offers:

20

MWh	\$/MWh	N/I
20	15.00	
20	15.00	
20		

162

Send

Add

Delete

B/S MWh N/I Interface

	MWhs	\$	PI
Buy	0	0	100
Sell	0	(0)	
Net	0	0	
Wheel	0	0	100

Ⓢ Text
Ⓢ Graph MWh
Ⓢ Graph \$

300 In 0 0 Out 300

168

☐ CILC
☐ CWLP
☐ IPC
☐ SIPC

166

:02 Transmission Future Market Reveal
Ⓢ Current Ⓢ Next
Reports Logout Help

FIG. 17

Buy Confirmation

Confirm the following transactions to be placed on the Market?

MWh	\$/MWh	N/I
20	15.00	
20	15.50	
20	16.00	

Confirm

Cancel

166 FIG. 18 168

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1
10 of 29

CIPS-Market View Hour Ending: 900

BuySellBuy MarketSell MarketSchedule

Offers-Not Yet Taken
174 Withdraw

MWh	\$/MWh	N/I	#Viewers

Add Offers:

MWh	\$/MWh	N/I	Usage Fee

Send
Add
Delete

BuySellBuy MarketSell MarketSchedule

Offers-Not Yet Taken
Withdraw

MWh	\$/MWh	N/I	#Viewers
20	15.00	1	14
<u>170</u>	15.50	1	14
20	16.00	1	14

Add Offers:

MWh	\$/MWh	N/I

Send
Add
Delete

B/SMWhN/IInterface

	MWhs	\$	PI
Buy	0	0	100
Sell	0	(0)	
Net	0	0	
Wheel	0	0	100

⊙ Text
○ Graph MWh
○ Graph \$

300 In00 Out300

☐ CILC

☐ CWLP

☐ IPC

☐ SIPC

:04
Transmission
Future Market
Reveal
○ Current ⊙ NextReports
Logout
Help

FIG. 19




FIG. 20

CIPS-Market View Hour Ending: 900

Buy Sell Buy Market Sell Market Schedule

☒ Interruptible ☐ Non-Interruptible

MWh	\$/MWh	#Viewers	PI	Interface
45	16.10	10	95	SIPC
32	16.05	12	86	IPC
110	15.88	7	82	IPC
35	15.76	8	93	IPC
12	15.72	16	78	CWLP
64	15.53	11	84	CWLP
50	15.38	11	91	CILC
42	15.05	13	94	IPC

MW Filter... \$/MWh Filter...

Show All Show All

Buy Sell Buy Market Sell Market Schedule

☒ Interruptible ☐ Non-Interruptible

MWh	\$/MWh	#Viewers	PI	Interface
15	16.40	18	92	CWLP
30	16.55	12	88	SIPC
33	16.68	13	84	SIPC
125	16.70	8	93	CILC
140	16.75	4	92	CWLP
87	16.83	6	87	IPC
10	16.98	16	90	CILC
92	17.05	7	89	IPC

MW Filter... \$/MWh Filter...

Show All Show All

B/S MWh N/I Interface

B/S	MWh	N/I	Interface
Buy	0		
Sell	0		
Net	0		
Wheel	0		

MWhs \$ PI

Buy	0	0	100
Sell	0	(0)	
Net	0	0	
Wheel	0	0	100

300 In 0 0 Out 300

☐ CILC ☐ CWLP ☐ IPC ☐ SIPC

☒ Text ☐ Graph MWh ☐ Graph \$


:08 Transmission Future Market Reveal ☐ Current ☒ Next  Reports Logout Help

FIG. 21

182

Sell Confirmation

Confirm you want to sell the following transactions?

MWh	\$/MWh	N/I
45	16.10	I
32	16.05	I

FIG. 22

CIPS-Market View Hour Ending: 900

Buy	Sell	Buy Market	Sell Market	Schedule
<input checked="" type="radio"/> Interruptible <input type="radio"/> Non-Interruptible <input type="button" value="Sell"/>				
MWh	\$/MWh	#Viewers	PI	Interface
110	15.88	7	82	IPC
35	15.76	8	93	IPC
12	15.72	16	78	CWLP
64	15.53	11	84	CWLP
50	15.38	11	91	CILC
42	15.05	13	94	IPC
125	15.02	5	88	SIPC
20	14.90	14	93	CILC

MW Filter... \$/MWh Filter... 184

Buy	Sell	Buy Market	Sell Market	Schedule
<input checked="" type="radio"/> Interruptible <input type="radio"/> Non-Interruptible <input type="button" value="Buy"/>				
MWh	\$/MWh	#Viewers	PI	Interface
15	16.40	18	92	CWLP
30	16.55	12	88	SIPC
33	16.68	13	84	SIPC
125	16.70	8	93	CILC
140	16.75	4	92	CWLP
87	16.83	6	87	IPC
10	16.98	16	90	CILC
92	17.05	7	89	IPC

MW Filter... \$/MWh Filter...

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	0	0	100

300 In 0 0 Out 300

☐ CILC ☐ CWLP ☐ IPC ☐ SIPC

☒ Text ☐ Graph MWh ☐ Graph \$

:08 Transmission Future Market Reveal ☐ Current ☒ Next Reports Logout Help

FIG. 23

Market Filters

MWh... \$/MWh...

☒ Show All ☒ Show All

☐ >= ☐ >=

☐ <= ☐ <=

FIG. 24

Market Filters

MWh... \$/MWh...

☐ Show All ☐ Show All

☐ >= ☐ >=

☒ <= ☒ <=

FIG. 25

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1
14 of 29

196

CIPS-Market View Hour Ending: 900 194

☒ Interruptible ☐ Non-Interruptible

MWh	\$/MWh	#Viewers	PI	Interface
110	15.88	7	82	IPC
35	15.76	8	93	IPC
12	15.72	16	78	CWLP
64	15.53	11	84	CWLP
50	15.38	11	91	CILC
42	15.05	13	94	IPC
125	15.02	5	88	SIPC
20	14.90	14	93	CILC

MW Filter... \$/MWh Filter...

Show All Show All

☒ Interruptible ☐ Non-Interruptible

MWh	\$/MWh	#Viewers	PI	Interface
15	16.40	18	92	CWLP
30	16.55	12	88	SIPC
33	16.68	13	84	SIPC
10	16.98	16	90	CILC
40	17.10	10	91	IP
25	17.20	12	78	SIPC
62	17.25	8	89	SIPC
55	17.32	9	84	IP

MW Filter... \$/MWh Filter...

<=75 <=17.50

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	0	0	100

300 In 0 0 Out 300

☐ CILC ☐ CWLP ☐ IPC ☐ SIPC

☒ Text ☐ Graph MWh ☐ Graph \$

:08 Transmission Future Market Reveal ☐ Current ☒ Next

Reports Logout Help

FIG. 26

559030" 2T56560

196

CIPS-Market View Hour Ending: 900

198

Buy Sell Buy Market Sell Market Schedule

Buy Transactions

MWh	\$/MWh	N/I	Interface
110	15.88	7	82 IPC
35	15.76	8	93 IPC
12	15.72	16	78 CWLP
64	15.53	11	84 CWLP
50	15.38	11	91 CILC
42	15.05	13	94 IPC
125	15.02	5	88 SIPC
20	14.90	14	93 CILC

Curtil 200

Sell Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	1	SIPC
32	16.05	1	IPC

Curtil

Buy Sell Buy Market Sell Market Schedule

Interruptible ☐ Non-Interruptible ☐ Sell

MWh	\$/MWh	#Viewers	PI	Interface
110	15.88	7	82	IPC
35	15.76	8	93	IPC
12	15.72	16	78	CWLP
64	15.53	11	84	CWLP
50	15.38	11	91	CILC
42	15.05	13	94	IPC
125	15.02	5	88	SIPC
20	14.90	14	93	CILC

MW Filter... \$/MWh Filter... Show All Filter

Buy Sell Buy Market Sell Market Schedule

Buy Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	1	SIPC
32	16.05	1	IPC

Curtil

Buy Sell Buy Market Sell Market Schedule

Buy Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	1	SIPC
32	16.05	1	IPC

Curtil

Sell Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	1	SIPC
32	16.05	1	IPC

Curtil

Buy Sell Buy Market Sell Market Schedule

Buy Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	1	SIPC
32	16.05	1	IPC

Curtil

Sell Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	1	SIPC
32	16.05	1	IPC

Curtil

Buy Sell Buy Market Sell Market Schedule

Buy Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	1	SIPC
32	16.05	1	IPC

Curtil

Sell Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	1	SIPC
32	16.05	1	IPC

Curtil

FIG. 27

202

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1
16 of 29

CIPS-Market View Hour Ending: 900

Link

Transmission

204

Interface	Interface	MWh	\$/MWh	Total\$	#Trans
CILC	CWLP	0	1.50	0.00	22
CILC	IPC	0	2.00	0.00	19
CILC	SIPC	0	2.00	0.00	20
CWLP	IPC	0	2.00	0.00	17
CWLP	SIPC	0	1.50	0.00	29
IPC	SIPC	0	2.50	0.00	38

B/S	MWh	N/I	Interface		MWhs	\$	PI	
S	45	I	SIPC		Buy	0	0	100
S	32	I	IPC		Sell	77	(1238)	
					Net	77	(1238)	
					Wheel	0	0	100

300 In 0 0 Out 300

☐ CILC
☐ CWLP
☐ IPC
☐ SIPC

☒ Text
☐ Graph MWh
☐ Graph \$

:12

☐ Current
☒ Next

FIG. 28

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1
17 of 29

CIPS-Market View Hour Ending: 900
▽ ▲

Link
Transmission

206

Interfaces	Max		Market Limit		Available		Scheduled Activity			
	In	Out	In	Out	In	Out	Transactions		Wheeling	
	In	Out	In	Out	In	Out	In	Out	In	Out
CILC	400	400	150	250	150	250	0	0	0	0
CWLP	350	375	300	250	300	250	0	0	0	0
IPC	500	500	250	250	250	218	0	32	0	0
SIPC	325	325	100	250	100	205	0	45	0	0

Limit

Neighbor

Update

208

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	0	0	100

300 In 0 0 Out 300

☐ CILC

☐

☐ CWLP

☐

☐ IPC

☐

☐ SIPC

☐

:12

Market

Future Market

Reveal

☐ Current

☒ Next

Reports

Logout

Help

FIG. 29

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1
18 of 29

CIPS-Market View Hour Ending: 900
▼ ▲

Link
Transmission

Interfaces	Max		Market Limit		Available		Scheduled Activity				
	In	Out	In	Out	In	Out	Transactions		Wheeling		
							In	Out	In	Out	
CILC	400	400	150	250	90	250	0	0	60	0	▲
CWLP	350	375	300	250	300	250	0	0	0	0	□
IPC	500	500	250	250	250	218	0	32	0	0	□
SIPC	325	325	100	250	100	145	0	45	0	60	▼

Limit
 Neighbor

Update

150
152

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	60	(120)	100

300 In 0 0 Out 300
☐ CILC ☐
☐ CWLP ☐
☐ IPC ☐
☐ SIPC ☐

:16

Market
Future Market
Reveal
○ Current ◎ Next

Reports
Logout
Help

FIG. 30

CIPS-Market View Hour Ending: 900

Link

Transmission

Interface	Interface	MWh	\$/MWh	Total\$	#Trans
CILC	CWLP	0	1.50	0.00	22
CILC	IPC	0	2.00	0.00	19
CILC	SIPC	60	2.00	120.00	19
CWLP	IPC	0	2.00	0.00	17
CWLP	SIPC	0	1.50	0.00	29
IPC	SIPC	0	2.50	0.00	38

B/S	MWh	N/I	Interface
S	45	I	SIPC
S	32	I	IPC

	MWhs	\$	PI
Buy	0	0	100
Sell	77	(1238)	
Net	77	(1238)	
Wheel	60	(120)	100

300 In 0 0 Out 300

☐ CILC
☐ CWLP
☐ IPC
☐ SIPC

☐
☐
☐
☐

:16

Market

Future Market

Reveal

☐ Current
 ☒ Next

☐ Text
 ☐ Graph MWh
 ☐ Graph \$

Reports

Logout

Help

214 216 *FIG. 31* 218 220

CIPS-Schedule

Next hour transaction schedule is:

Buy Transactions

MWh	\$/MWh	N/I	Interface
			210

Sell Transactions

MWh	\$/MWh	N/I	Interface
45	16.10	I	SIPC
32	16.05	I	IPC

Transmission

Interface	MWh	Direction
CILC	60	Received
CWLP	0	
IPC	32	Delivered
SIPC	105	Delivered

Net MWh

Delivered

77

Confirm

FIG. 32

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

ACONT.101C1
20 of 29

Future Markets Setup

Add Buy Offer:

MWh	\$/MWh	N/I	
35	14.00		↑
50	13.25		↓

Transmission Service \$//MWh:

Interface	Interface	Cost	
CILC	CWLP	1.50	↑
CILC	IPC	2.00	↓
CILC	SIPC	2.00	↓
CWLP	IPC	2.00	↓
CWLP	SIPC	1.50	↓
IPC	SIPC	2.50	↓

Add Sell Offer:

MWh	\$/MWh	N/I	Usage Fee	
40	17.50			↑
40	17.50			↓
30	19.00			↓
85	28.00			↓

Transmission Limits MWh:

Interface Name	Max In	Max Out	Limit In	Limit Out	
CILC	400	400	150	250	↑
CWLP	350	375	300	250	↓
IPC	500	500	250	250	↓
SIPC	325	325	100	250	↓

FIG. 33

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

CIPS-Reveal

Next hour transaction schedule is:

Buy Transactions

MWh	\$/MWh	N/I	S-W-W-W-B
45	16.10	I	CIPS-SIPC
32	16.05	I	CIPS-IPC-IIGE-MPSI

Sell Transactions

MWh	\$/MWh	N/I	S-W-W-W-B
60	2.00		CILC-CIPS-SIPC-BREC

Wheeling Transactions

MWh	\$/MWh	S-W-W-W-B
77	Out	

Net MWh

77 Out

Curtail

Close

FIG. 34




FIG. 35

00369517.080699




FIG. 36

Initiate Curtail

Confirm the following curtail for the Current Hour:

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

Current Time: 11:16
Start Ramp at: 20 242
Ramp for: ☐ 0 Minutes } 244
 ☒ 10 Minutes }

Integrated:

B/S	MWh	\$	Interface
Buy	21	468.30	IIGE 246

248 250

FIG. 37

Acknowledge Curtail

The following transaction is curtailed for the Current Hour:

B/S	MWh	\$/MWh	Interface
Sell	50	20.00	IPC

Start Ramp at: 11:20
Ramp for: 10

Integrated:

B/S	MWh	\$	Interface
Sell	21	420.00	IPC

254

FIG. 38

659080 27569260

FIG. 39

Acknowledge Failure

Please call:

Central Illinois Public Service Co.
(555) 662-5489

Immediately to inform them of curtailment
of the following transaction:

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

FIG. 40

Acknowledge Curtail

The following transaction is curtailed in the
Current Hour:

B/S	MWh	Interface	Interface
Wheel	50	MPSI	IPC

Start Ramp at: 11:20
Ramp for: 10

Integrated:

MWh	\$	Interface	Interface
21	27.30	MPSI	IPC

FIG. 41

Acknowledge Curtail

The following transaction is curtailed in the
Current Hour:

B/S	MWh	Interface	Interface
Wheel	50	IIGE	CIPS

Start Ramp at: 11:20
Ramp for: 10

Integrated:

MWh	\$	Interface	Interface
21	21.00	IIGE	CIPS




FIG. 42

FIG. 43

Transmission							Scheduled Activity			
Interfaces	Max		Market Limit		Available		Transactions		Wheeling	
	In	Out	In	Out	In	Out	In	Out	In	Out
MPSI	400	350	200	350	200	200	0	100	0	50
IPC	500	350	150	350	33	350	0	0	117	0
IPW	700	700	200	250	160	183	40	0	0	67

Limit: 150 Neighbor: 180 Update 262

Initiate Curtail

Confirm the following curtail for the Current Hour:

B/S	MWh	Interface	Interface
Wheel	50	IPC	MPSI
Wheel	67	IPC	IPW

Current Time: 11:16
Start Ramp at: 20 268
Ramp for: ☒ 0 Minutes } 270
 ☐ 10 Minutes }
Integrated: 272

MWh	\$	Interface	Interface
17	22.10	IPC	MPSI
22	28.60	IPC	IPW

Confirm 274 276 Cancel

FIG. 44

-

Acknowledge Curtail

▽

△

The following transaction is curtailed
for the Current Hour:

B/S	MWh	Interface	Interface
Wheel	67	IIGE	CIPS

Start Ramp at: 11:20

Ramp for: 0

Integrated:

MWh	\$	Interface	Interface
22	22.00	IIGE	CIPS

Acknowledge

FIG. 45

FIG. 46

Acknowledge Curtail			
The following transaction is curtailed for the Current Hour:			
B/S	MWh	\$/MWh	Interface
Sell	50	20.00	IPC
Start Ramp at: 11:20			
Ramp for: 0			
Integrated:			
B/S	MWh	\$	Interface
Sell	17	340.00	IPC
Acknowledge			

FIG. 47

-	Acknowledge Curtail	▽	△																
<p>The following transaction is curtailed for the Current Hour:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">B/S</th> <th style="width: 25%;">MWh</th> <th style="width: 25%;">\$/MWh</th> <th style="width: 25%;">Interface</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Sell</td> <td style="text-align: center;">67</td> <td style="text-align: center;">21.25</td> <td style="text-align: center;">IPC</td> </tr> </tbody> </table> <p>Start Ramp at: 11:20 Ramp for: 0</p> <p>Integrated:</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 25%;">B/S</th> <th style="width: 25%;">MWh</th> <th style="width: 25%;">\$</th> <th style="width: 25%;">Interface</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">Sell</td> <td style="text-align: center;">22</td> <td style="text-align: center;">467.50</td> <td style="text-align: center;">IPC</td> </tr> </tbody> </table>				B/S	MWh	\$/MWh	Interface	Sell	67	21.25	IPC	B/S	MWh	\$	Interface	Sell	22	467.50	IPC
B/S	MWh	\$/MWh	Interface																
Sell	67	21.25	IPC																
B/S	MWh	\$	Interface																
Sell	22	467.50	IPC																
<div style="border: 2px solid black; padding: 5px; display: inline-block;"> Acknowledge </div>																			

FIG. 48

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99
0	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99

Acknowledge Curtail

The following transaction is curtailed for the Current Hour:

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

Start Ramp at: 11:20
Ramp for: 0

Integrated:

B/S	MWh	\$	Interface
Buy	17	379.10	IIGE

Acknowledge

FIG. 49

Acknowledge Curtail

The following transaction is curtailed for the Current Hour:

B/S	MWh	\$/MWh	Interface
Buy	67	23.55	IIGE

Start Ramp at: 11:20
Ramp for: 0

Integrated:

B/S	MWh	\$	Interface
Buy	22	518.10	IIGE

Acknowledge

FIG. 50

Acknowledge Failure

Please call:

Central Illinois Public Service Co.
(555) 662-5489

Immediately to inform them of curtailment of the following transaction:

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

OK

FIG. 51

Acknowledge Failure

Please call:

Central Illinois Public Service Co.
(555) 662-5489

Immediately to inform them of curtailment of the following transaction:

B/S	MWh	\$/MWh	Interface
Buy	67	23.55	IIGE

OK

FIG. 52




FIG. 53

669880-2759260

Initiate Curtail
▼ ▲

Confirm the following curtail for the Next Hour:

B/S	MWh	\$/MWh	Interface
Buy	50	22.30	IIGE

Confirm
Cancel

FIG. 54

Acknowledge Curtail
▼ ▲

The following transaction is curtailed Next Hour:

B/S	MWh	\$/MWh	Interface
Sell	50	20.00	IPC

Acknowledge

FIG. 55

274

Acknowledge Curtail
▼ ▲

The following transaction is curtailed Next Hour:

B/S	MWh	Interface	Interface
Wheel	50	MPSI	IPC

Acknowledge

FIG. 56

Acknowledge Curtail
▼ ▲

The following transaction is curtailed Next Hour:

B/S	MWh	Interface	Interface
Wheel	50	IIGE	CIPS

Acknowledge

FIG. 57




FIG. 58

669080 27569E60

FIG. 59

Transmission										
Interfaces	Max		Market Limit		Available		Scheduled Activity			
	In	Out	In	Out	In	Out	Transactions		Wheeling	
							In	Out	In	Out
MPSI	400	350	200	350	200	200	0	100	0	50
IPC	500	350	150	350	33	350	0	0	117	0
IPW	700	700	200	250	160	183	40	0	0	67
									280	

Limit Neighbor 278

Initiate Curtail

Confirm the following curtail for the Next Hour:

B/S	MWh	Interface	Interface
Wheel	50	IPC	MPSI
Wheel	67	IPC	IPW

284
 286

FIG. 60




FIG. 61

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

FIG. 62





FIG. 63



0036551 080690